

Poly3rdTube™

PERFORMANCE PUBLICATION Poly3rdTube™ INSTALLATION INFORMATION

(507) 724-TOON • PONTOONWHOLESALERS.COM

Poly3rdTube[™]

| Phone # | Email Address | | | | | | |
|------------------------------|--------------------------------------|-------------------------------------|------------------|---|--------------------|-----------------|--|
| | | | | | | | |
| PROPELLER SPECIFICATIONS | TEST CO | NDITION | IS | | | | |
| Propeller Manufacturer | Test | Date | _ | | | | |
| Series | Test | Test Conductor | | | | | |
| Diameter/Pitch | Air Temperature | | | | | | |
| Part # | Wind Velocity Fuel Level at Testing | | | | | | |
| | Fuel | Level at Tes | sting | | | | |
| BOAT SPECIFICATIONS | Boat Weight as Tested | | | | | | |
| Manufacturer | # People (with load) | | | | | | |
| Boat Model | # Pe | ople (witho | ut load) _ | | | | |
| Length | | Data | | | | | |
| Beam | Test | | _ | | | | |
| Maximum HP Capacity | Test Conductor | | | | | | |
| Steering Type | | emperature | | | | | |
| Dry Boat Weight | Wind Velocity Fuel Level at Testing | | | | | | |
| Tube Diameter & Shape | • | | • | | | | |
| Tube Bottom to Cross Channel | | Weight as | | | | | |
| | | ople (with I | | | | | |
| ENGINE SPECIFICATIONS | — # Pe | opie (witho | ut load) | | | | |
| | PERFOR | RMANCE | DΔTΔ | | | | |
| J | | BEFORE | | | AFTER | | |
| Horsepower | | 1 | | DD14 | 1 | | |
| Mounting Hole Position | RPM | MPH (with load) | MPH (no load) | RPM | MPH (with load) | MPH (no load | |
| | 1000 | | | 1000 | | | |
| | 2000 | | | 2000 | | | |
| | 3000 | | | 3000 | | | |
| | 3500 4000 | | | 3500 4000 | | | |
| | 4500 | | | 4500 | | | |
| | 5000 | | | 5000 | | | |
| | 5500 | | | 5500 | | | |
| | 6000 | | | 6000 | | | |
| PONTOON | | MPH (with load) MPH (without loa | d) | Seconds 0-20 M Seconds 0-20 M Prop Slip % | | d) | |